Ionpure® LX-X High Purity Continuous Electrodeionization(CEDI) Modules

Ionpure® LX Module — LX-X


The lonpure® LX-X industrial modules produce high purity water through electrodeionization for a wide range of industrial applications. LX-X modules consistently deliver maximum reliability and superior performance for power, HPI/CPI, general electronics, food and beverage and laboratory applications without regeneration downtime.

LX-X Series Features

- Generates mixed-bed quality deionized water without the use of chemicals
- Significantly lower operating costs, than conventional ion exchange
- No need for acid / caustic, neutralization system or exchangeable DI tanks
- Double O-ring seal guarantees leak-free operation
- Continuous production instead of batch, with consistent quality
- Superior electrical isolation
- Proprietary "all filled" concentrating compartments eliminate recirculation pump and brine injection
- Continuous operation
- Wetted materials of construction comply with NSF61

For additional information call +31 165 348 253 or visit our website at www.purewatergroup.com









Ionpure® LX-X Industrial Continuous Electrodeionization (CEDI) Modules

Operating environment

Installation should be indoors with no direct sunlight and it should have a maximum ambient temperature of 113°F (45°C).

Quality Assurance Standards

CE marked. Each module is factory tested to meet strict industry standards and is manufactured in an ISO 9001 and ISO 14000 quality and environmental management system.

Halal Certification. All lonpure modules are manufactured in accordance with the Islamic Food and Nutrition Council of America standards (IFANCA), and will carry the Crescent M Halal logo.

Maximum Feed Water Specifications					
Feed water conductivity equivalent, Including CO ₂ and Silica	< 40 μS/cm				
Feed water source	RO permeate				
Temperature	40 - 113°F (5 – 45°C)				
Inlet pressure	20 – 100 psi (1.4 – 7 bar)				
Maximum total chlorine (as Cl2)	< 0.02 ppm				
Iron (Fe)	< 0.01 ppm				
Manganese (Mn)	< 0.01 ppm				
Sulphide (S ⁻)	< 0.01 ppm				
рН	4 – 11				
Total hardness (as CaCO ₃)	< 1.0 ppm				
Dissolved organics (TOC as C)	< 0.5 ppm				
Silica (SiO₂)	< 1.0 ppm				

Dimensions C +/- 0.13" (3.2 mm) Item Number +/- 0.25"(6.4 mm) LXM04X 10.12" (257 mm) 5.78" (146.8 mm) LXM10X 13.69" (347.7 mm) 9.28" (235.7 mm) LXM18X 19.22" (488.2 mm) 13.93" (353.8 mm) LXM24X 23.69" (601.7 mm) 17.43" (442.7 mm) LXM30X 27.42" (696.5 mm) 20.92" (531.3 mm) LXM45X 35.72" (907.3 mm) 29.44" (747.7 mm)

Typical Module Performance

Operating Parameters						
Recovery	90 – 95%					
Maximum Feed Pressure 100 psi (7 bar)						
Pressure Drop Range at 20 – 30 psi (1.4 – 2.1 bar Nominal Flow						
Maximum Feed Temperature	113°F (45°C)					
DC voltage	0 – 300					
DC amperage	0 - 6.0					
Product Water Quality						
Product resistivity	Minimum Flow Nominal Flow Maximum Flow					
Silica (SiO ₂) removal	90 - 99% depending on feed conditions					
*Actual performance may be determined using the IP-Pro projection software available from Ionpure.						

^{*}Performance based on maximum Feed Water Conductivity Equivalent (40 µS/cm)

Flow and Physical Specifications						
Model Number	Product Flow min. gpm (m ³ /h)	Product Flow nominal gpm (m ³ /h)	Product Flow max. gpm (m ³ /h)	Shipping Weight lbs (kg)	Operating weight lbs (kg)	
IP-LXM04X	1.0 (0.22)	2.0 (0.44)	3.0 (0.67)	150 (68)	100 (45)	
IP-LXM10X	2.5 (0.55)	5.0 (1.1)	7.5 (1.65)	200 (91)	150 (68)	
IP-LXM18X	4.5 (1.1)	9.0 (2.0)	13.5 (3.1)	220 (100)	170 (77)	
IP-LXM24X	6.3 (1.4)	12.5 (2.8)	18.8 (4.2)	250 (113)	200 (91)	
IP-LXM30X	7.5 (1.65)	15.0 (3.3)	22.5 (5.11)	270 (123)	220 (100)	
IP-LXM45X	11.3 (2.55)	22.5 (5.1)	33.8 (7.67)	320 (145)	270 (122.5)	

Pure Water Group

Korte Hei 3 4714 RD Sprundel Tel. +31 165 348 253 Fax +31 165 348 254 info@purewatergroup.com longure is a trademarks of Evoqua, its subsidiaries or affiliates.

The information provided in this literature contains merely general descriptions or characteristics of performance which in actual case of use do not always apply as described or which may change as a result of further development of the products. An obligation to provide the respective characteristics shall only exist if expressly agreed in terms and of the contract