

Washable filtration cartridges

WASHABLE NYLON NET CARTRIDGE

RLA75BHF

[Link to product's PDF drawing](#)


TECHNICAL FEATURES:

Type	RLA75BHF
Type	Washable net
Height	9" 3/4 - 20"
Micron	80
Efficiency	75%
Hot sanitizing	No

APPLICATIONS

Water
Sea water

MATERIAL

Filtration material	Nylon net
Internal core	None
External core	Polypropylene

PRESSURE

Max differential pressure at 20°C	2 bar
Recommended change-out differential pressure	1 bar

TEMPERATURE

Max working temperature	80°C
-------------------------	------



Approximate picture. End caps and height's choice will lead to the assembly of a product which could differ from those shown in figure

Code	Description	Height	Micron	Flow l/h ¹	Filtering surface	Quantity box	€/each
RLA75BHF0980BHF	RLA75BHF 09-80	9" 3/4	80	4.500	0,09 m ²	6	-
RLA75BHF2080BHF	RLA75BHF 20-80	20"	80	9.000	0,18 m ²	6	-

¹ Max water flow rate at 20°C and differential pressure 0,15 bar

Washable filtration cartridges

WASHABLE NYLON NET CARTRIDGE

RLA75BHF

END CAPS LIST

End Caps	BIG BHF
CODE	BHF



CARTRIDGES CODE LIST

Model	Height		Micron		Connection		Seals	
RLA75BHF	9" 3/4	09	80 µm	80	BIG BHF	BHF		
	20"	20						


Washable filtration cartridges

WASHABLE NYLON NET CARTRIDGE

RLA75BHF

FLOW RATE VS PRESSURE DIFFERENTIAL

Pressure differential



Graphic refers to 9" 3/4 height cartridges. Make the correct proportion to obtain flow for taller cartridges.