

# Housings for filter cartridges

## FIBERGLASS HOUSINGS

### FILTERBLANC MAXI-BL-39

#### TECHNICAL FEATURES:

Type	FILTERBLANC MAXI-BL-39
Material	FRP (Fiberglass)
In/Out	DN350 FLANGE EN1092

#### MATERIAL

Body	FRP
Heads	FRP
In/Out	FRP
Drain/Vent	FRP

#### DESIGN DATA

Max working pressure	6 bar
Hydraulic test pressure	7.8 bar
Max working temperature	50 C°

#### CARTRIDGES

N° cartridges	39
Type end caps	BL
Inner diameter min	90 mm
Outer diameter	200 mm
Cartridges height	20"



#### APPLICATIONS

Water
Sea water

Code	Description	Specs, colors and particular finishing	Cartridge s	In/Out	Capacity empty 2 bar (l/min)	End cap	Quantity box	€/each
FBCMFRPBL3920WH	FILTERBLANC MAXI-BL-39 39x20"	White	20"	DN350 FLANGE EN1092	11.700	BL	1	-

# Housings for filter cartridges

## FIBERGLASS HOUSINGS

### FILTERBLANC MAXI-BL-39

#### HOUSINGS CODE LIST

Model	Material		Cartridges end cap typ		Cartridges n°		Cartridges height		Specs and finishing	
FBCM	FRP (Fiberglass)	FRP	BL	BL	39	39	20"	20	White	WH



Approximate picture. End caps and height's choice will lead to the assembly of a product which could differ from those shown in figure



#### European Community members only.

These filters are free of the "CE" stamp since they are included in the article n. 4 para 3 of the P.E.D. 2014/68/EU of 15 May 2014. These filters can be used only with the fluid and design that respect the conditions established by the directive above mentioned.

PED REFERENCES: PED 2014/68/EU

FLUID: NOT DANGEROUS

ARTICLES: 4.1 LETTER (a) (ii)

4.3

13

Design code: EN 13121-3