

CARATTERISTICHE - FEATURES


Tipo - Type	Tronchetto Victaulic - filettato gas cilindrica UNI 338-66 <i>Victaulic - threaded pipe gas cylindrical UNI 338-66</i>
Materiale - Material	Acciaio AISI 316L (tubo senza saldatura) <i>AISI 316L Stainless Steel (non welded pipe)</i>


Codice Code	Descrizione Description	Misura Size	Ø est. Ext. Ø mm
VIC042316LVF033	Tronchetto Victaulic-filettato in AISI316L Style 42 S/42 <i>AISI316L Victaulic-threaded pipe Style 42 S/42</i>	1" M BSP	33,7
VIC042316LVF048	Tronchetto Victaulic-filettato in AISI316L Style 42 S/42 <i>AISI316L Victaulic-threaded pipe Style 42 S/42</i>	1" ½ M BSP	48,3
VIC042316LVF060	Tronchetto Victaulic-filettato in AISI316L Style 42 S/42 <i>AISI316L Victaulic-threaded pipe Style 42 S/42</i>	2" M BSP	60,3
VIC042316LVF089	Tronchetto Victaulic-filettato in AISI316L Style 42 S/42 <i>AISI316L Victaulic-threaded pipe Style 42 S/42</i>	3" M BSP	88,9

ATTENZIONE: I tronchetti STYLE 42 in AISI 316L sono utilizzabili solo con giunti originali VICTAULIC modello STYLE 75 e STYLE 475

ATTENTION: The pipes STYLE 42 made in AISI 316L must be used only with the original VICTAULIC couplings model STYLE 75 and STYLE 475


STYLE 42






Materiale : TUBO S/S Ø33,7 x 3,5 AISI 316

POS.	CODE	DENOMINATION				QUANTITY	MATERIALS
ALL DIMENSIONS MILLIMETERS	ALL SURFACES FINISH ROUGHNESS IN Ra μm	GENERAL TOLLERANCES UNLESS OTHERWISE SPECIFIED UNI-EN 22768-mK UNI-EN 22768-c				NOT QUOTED FILLET R=0.3 CHAMFER 0.3x45°	
SIMILAR TO	CRITICAL INDEX	WORK ORDER	JOB	QUANTITY	DRAWN DATE 21/02/2019 BY Tecnico	APPROVED DATE - BY -	
DENOMINATION S/42 TRONCHETTO FILETTATO 1" AISI 316L					CODE VIC042316LVF033		REV.
 EVERBLUE srl - www.everblue.it - info@everblue.it REPRODUCTION IS PROHIBITED - ALL RIGHTS RESERVED ACCORDING TO THE LAW			MODIFICATION		DATE	BY	
			BARCODE		SCALE 1:1	PROJECTION 	




Materiale : TUBO S/S Ø48,26 x 3,68 AISI 316

POS.	CODE	DENOMINATION				QUANTITY	MATERIALS
ALL DIMENSIONS MILLIMETERS	ALL SURFACES FINISH ROUGHNESS IN Ra µm	GENERAL TOLLERANCES UNLESS OTHERWISE SPECIFIED UNI-EN 22768-mK UNI-EN 22768-c				NOT QUOTED FILLET R=0.3 CHAMFER 0.3x45°	
SIMILAR TO	CRITICAL INDEX	WORK ORDER	JOB	QUANTITY	DRAWN DATE 14/01/2016 BY Tecnico	APPROVED DATE - BY -	
DENOMINATION					CODE	REV.	
S/42 TRONCHETTO FILETTATO 1"1/2 AISI 316L					VIC042316LVF048		
 EVERBLUE srl - www.everblue.it - info@everblue.it REPRODUCTION IS PROHIBITED - ALL RIGHTS RESERVED ACCORDING TO THE LAW			MODIFICATION		DATE	BY	
			BARCODE		SCALE 1:1	PROJECTION 	



Materiale : TUBO S/S Ø.60,32 x 3,91 AISI 316

POS.	CODE	DENOMINATION				QUANTITY	MATERIALS
ALL DIMENSIONS MILLIMETERS	ALL SURFACES FINISH ROUGHNESS IN Ra µm	GENERAL TOLLERANCES UNLESS OTHERWISE SPECIFIED UNI-EN 22768-mK UNI-EN 22768-c				NOT QUOTED FILLET R=0.3 CHAMFER 0.3x45°	
SIMILAR TO	CRITICAL INDEX	WORK ORDER	JOB	QUANTITY	DRAWN DATE 14/01/2016 BY Tecnico	APPROVED DATE - BY -	
DENOMINATION					CODE	REV.	
S/42 TRONCHETTO FILETTATO 2" AISI 316L					VIC042316LVF060		
 EVERBLUE srl - www.everblue.it - info@everblue.it REPRODUCTION IS PROHIBITED - ALL RIGHTS RESERVED ACCORDING TO THE LAW			MODIFICATION		DATE	BY	
			BARCODE		SCALE 1:1	PROJECTION 	



Materiale: TUBO S/S 88,9x5 AISI 316

POS.	CODE	DENOMINATION				QUANTITY	MATERIALS
ALL DIMENSIONS MILLIMETERS	ALL SURFACES FINISH ROUGHNESS IN Ra μm	GENERAL TOLLERANCES UNLESS OTHERWISE SPECIFIED UNI-EN 22768-mK UNI-EN 22768-c				NOT QUOTED FILLET R=0.3 CHAMFER 0.3x45°	
SIMILAR TO	CRITICAL INDEX	WORK ORDER	JOB	QUANTITY	DRAWN DATE 19/03/2015 BY GONZATO	APPROVED DATE BY	
DENOMINATION S/42 TRONCHETTO FILETTATO 3" AISI 316L					CODE VIC042316LVF089		REV.
 EVERBLUE s.r.l. www.everblue.it info@everblue.it REPRODUCTION IS PROHIBITED - ALL RIGHTS RESERVED ACCORDING TO THE LAW			MODIFICATION		DATE	BY	
			BARCODE		SCALE 1:1	PROJECTION 	