PARMA - ITALY
https://www.everblue.it

Washable filtration cartridges

PLEATED POLYESTER NET CARTRIDGE

TPL95MX

Link to product's PDF drawing

TECHNICAL FEATURES:

Type	
Type	
Height	
Micron	
Efficiency	
Hot sanitizing	No

APPLICATIONS

Water
Sea water

OTHER APPLICATIONS ONLY AFTER WRITTEN APPROVAL OF MANUFACTURER

Biotechnology/Fine chemicals
Food/Beverage
Coatings/Resins
General Industrial
Bulk Chemicals/Petrolchemicals
Galvanic
Pharmaceutical/Cosmetics
Drinking Water

MATERIAL

Filtration material	
Internal core	
External core	

PRESSURE

Max differential pressure at 20°C	bar
Recommended change-out differential pressure	bar

TEMPERATURE

Max working temperature	°C

Code	Description	Height	Micron	Flow l/h	Filtering surface	Quantity box	€/each

PARMA - ITALY
https://www.everblue.it

Washable filtration cartridges


PLEATED POLYESTER NET CARTRIDGE

TPL95MX

END CAPS LIST

End Caps
CODE

CARTRIDGES CODE LIST



PARMA - ITALY
https://www.everblue.it


Washable filtration cartridges

PLEATED POLYESTER NET CARTRIDGE

TPL95MX

FLOW RATE VS PRESSURE DIFFERENTIAL

Pressure differential



Graphic refers to height cartridges. Make the correct proportion to obtain flow for taller cartridges.