

Bag filter housing

POLYPROPYLENE - BAG FILTER HOUSINGS

BAGONE-4RS

[Link to product's PDF drawing](#)


TECHNICAL FEATURES:

Type	BAGONE-4RS
Material	PP (Polypropylene)
In/Out	DN 150 FLANGE DN8063 PN16

DESIGN DATA

Max working pressure	6 bar
Hydraulic test pressure	9 bar
Burst pressure	20 bar
Max working temperature	40 C°

BAGS

N° bags	4
Ring diameter	Diam. 6" (155 mm)
Height	19"
Inner diameter min	141 mm
Outer diameter	155 mm



SI

RING TYPE

SI6 Internal ring	155 mm
-------------------	--------

APPLICATIONS

Water
Sea water

Code	Description	Specs, colors and particular finishing	In/Out	Bag's end cap	Quantity box	€/each
FBO4RSPP060419	BAGONE-4RS 4x19"		DN 150 FLANGE DN8063 PN16	06	0	-

Bag filter housing POLYPROPYLENE - BAG FILTER HOUSINGS BAGONE-4RS

HOUSINGS CODE LIST

Model	Material		Ring diameter		N° bags		Bags height		Specs and finishing	
FBO4RS	PP (Polypropylene)	PP	Diam. 6" (155 mm)	06	4	04	19"	19		



Approximate picture. End caps and height's choice will lead to the assembly of a product which could differ from those shown in figure



European Community members only.

These filters are free of the "CE" stamp since they are included in the article n. 4 para 3 of the P.E.D. 2014/68/EU of 15 May 2014. These filters can be used only with the fluid and design that respect the conditions established by the directive above mentioned.

PED REFERENCES: PED 2014/68/EU

FLUID: NOT DANGEROUS

4.1 LETTER (a) (ii)

4.3

13.1