

Filters with strainer

POLYAMIDE HOUSINGS

BAGMAX FMX-S-01-2RS

[Link to product's PDF drawing](#)


TECHNICAL FEATURES:

Type	BAGMAX FMX-S-01-2RS
Material	PA (Polyamide)
N. basket - Height	2x20 "
Continuous flow	No
Micron	50, 80, 125, 200, 300, 500, 800, 1000, 2000, 3000

DESIGN DATA

Max working pressure	6 bar
Hydraulic test pressure	9 bar
Max pressure difference	2 bar
Max working temperature	40°C

APPLICATIONS

Water
Sea water
Prefiltration for water treatment plants
Process water
Evaporative cooling towers
Heat exchangers
Irrigation
Aquaculture
Protection of spray nozzles

Code	Description	Filtering surface	Height - Connection	Connection drain	Micron	Flow rate (l/h)*	Quantity box	€/each
FMXS2RSPA022050	BAGMAX FMX-S-01-2RS 2x20	0.4 m ²	2x20 "	1" 1/4 BSP M	50	54.000	1	-
FMXS2RSPA022080	BAGMAX FMX-S-01-2RS 2x20	0.4 m ²	2x20 "	1" 1/4 BSP M	80	54.000	1	-
FMXS2RSPA0220125	BAGMAX FMX-S-01-2RS 2x20	0.4 m ²	2x20 "	1" 1/4 BSP M	125	54.000	1	-
FMXS2RSPA0220200	BAGMAX FMX-S-01-2RS 2x20	0.4 m ²	2x20 "	1" 1/4 BSP M	200	54.000	1	-



European Community members only.

These filters are free of the "CE" stamp since they are included in the article n. 4 para 3 of the P.E.D. 2014/68/EU of 15 May 2014. These filters can be used only with the fluid and design that respect the conditions established by the directive above mentioned.

PED REFERENCES: PED 2014/68/EU

FLUID: NOT DANGEROUS

ARTICLES: 4.1 LETTER (a) (ii)

4.3

13.1

Filters with strainer

POLYAMIDE HOUSINGS

BAGMAX FMX-S-01-2RS

Code	Description	Filtering surface	Height - Connection	Connection drain	Micron	Flow rate (l/h)	Quantity box	€/each
FMXS2RSPA0220300	BAGMAX FMX-S-01-2RS 2x20	0.4 m ²	2x20 "	1" 1/4 BSP M	300	54.000	1	-
FMXS2RSPA0220500	BAGMAX FMX-S-01-2RS 2x20	0.4 m ²	2x20 "	1" 1/4 BSP M	500	54.000	1	-
FMXS2RSPA0220800	BAGMAX FMX-S-01-2RS 2x20	0.4 m ²	2x20 "	1" 1/4 BSP M	800	54.000	1	-
FMXS2RSPA02201000	BAGMAX FMX-S-01-2RS 2x20	0.4 m ²	2x20 "	1" 1/4 BSP M	1.000	54.000	1	-
FMXS2RSPA02202000	BAGMAX FMX-S-01-2RS 2x20	0.4 m ²	2x20 "	1" 1/4 BSP M	2.000	54.000	1	-
FMXS2RSPA02203000	BAGMAX FMX-S-01-2RS 2x20	0.4 m ²	2x20 "	1" 1/4 BSP M	3.000	54.000	1	-

BASKET FILTERS CODE LIST

Model	Material		Connection IN/OUT		Micron		Specs and finishing	
FMXS2RS	PA (Polyamide)	PA	2x20 "	0220	50 µm	50		
					80 µm	80		
					125 µm	125		
					200 µm	200		
					300 µm	300		
					500 µm	500		
					800 µm	800		
					1000 µm	1000		
					2000 µm	2000		
					3000 µm	3000		



European Community members only.

These filters are free of the "CE" stamp since they are included in the article n. 4 para 3 of the P.E.D. 2014/68/EU of 15 May 2014. These filters can be used only with the fluid and design that respect the conditions established by the directive above mentioned.

PED REFERENCES: PED 2014/68/EU

FLUID: NOT DANGEROUS

ARTICLES: 4.1 LETTER (a) (ii)

4.3

13.1

Filters with strainer POLYAMIDE HOUSINGS BAGMAX FMX-S-01-2RS



*Approximate picture. End caps and height's choice will lead to the assembly of a product which could differ from those shown in figure
Flow rate chart available on www.everblue.it by choosing microns gradient and connections and selecting specific product data sheet*



European Community members only.

These filters are free of the "CE" stamp since they are included in the article n. 4 para 3 of the P.E.D. 2014/68/EU of 15 May 2014. These filters can be used only with the fluid and design that respect the conditions established by the directive above mentioned.

PED REFERENCES: PED 2014/68/EU

FLUID: NOT DANGEROUS

ARTICLES: 4.1 LETTER (a) (ii)

4.3

13.1


Filters with strainer

POLYAMIDE HOUSINGS

BAGMAX FMX-S-01-2RS

FLOW RATE VS PRESSURE DIFFERENTIAL

Pressure differential



European Community members only.

These filters are free of the "CE" stamp since they are included in the article n. 4 para 3 of the P.E.D. 2014/68/EU of 15 May 2014. These filters can be used only with the fluid and design that respect the conditions established by the directive above mentioned.

PED REFERENCES: PED 2014/68/EU

FLUID: NOT DANGEROUS

ARTICLES: 4.1 LETTER (a) (ii)

4.3

13.1